

# C41 Film Process @ (37.8C)

## Multitank JOBO - 270mls volume

### Chemicals, Prepare -

- Tap Water Rinse - 300mls (Fill three containers, each with 600mls)
- Digibase Developer - 270mls
- Digibase Bleach - 270mls
- Digibase Fixer - 270mls
- Digibase Stabiliser - 270mls

### JOBO CPP2 - Set Programme to - P & Temp to 37.8'C

1. **Water Rinse** - 2 minutes.
2. **Dispose**
3. **Developer** - 3 minutes & 15 Seconds. Adjust if required for premixed kits.
4. **Drain in to container for re-use.**
5. **Water Rinse** - 1 minute.
6. **Dispose**
7. **Bleach** - 4 minutes.
8. **Drain in to container for re-use.**
9. **Water Rinse** - 2 minutes.
10. **Dispose**
11. **Fix** - 6 minutes & 30 seconds.
12. **Drain in to container for re-use.**
13. **Water Rinse** - 4 minutes.
14. **Dispose**
15. **Water Rinse** - 1 minutes.
16. **Dispose**
17. **Water Rinse** - 1 minutes.
18. **Dispose**